


BRECCIA VIOLA POL RECT 120X278

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A041057	120x278	6,50	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

Abrasion resistance (glazed Ceramic)	EN ISO10545-07	0.00
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

BRECCIA VIOLA POL RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040956	60x120	9,20	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

BRECCIA VIRIDI POL RECT 120X278

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A041058	120x278	6,50	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

Frost resistance	EN ISO 10545-12	It stands the test
------------------	-----------------	--------------------

CHEMICAL PROPERTIES

BRECCIA VIRIDI POL RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040954	60x120	9,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES

BRECCIA VIRIDI HONED RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040972	60x120	8,90	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES