

APE

best for you

Technical characteristics report

Serial: Takenos

Size: 20x75

Wall tiles with red body. Dry pressed ceramic tiles for interior walls.

It accomplishes norm: UNE-EN 14411

Group: BIII

Name, Test	European norm	Value
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	> 10 %
Flexion resistance	EN ISO 10545-04	> 15 N/mm ²
Thermic impact resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Resistance to acids	EN ISO 10545-13	GLA
Resistance to bases	EN ISO 10545-13	GLA
Resistance to cleaning products and chemical products for swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

Technical characteristics report

Serial: Takenos	Size: 45x45
-----------------	-------------

TAKENOS TAUPE

Floor tiles with red body. Dry pressed ceramic tiles for interior floors and walls.

It accomplishes norm: UNE-EN 14411

Group: BIIa

Name, Test	European norm	Value
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	$3\% < E \leq 6\%$
Flexion resistance	EN ISO 10545-04	$> 20 \text{ N/mm}^2$
Resistance to the abrasion, method PEI	EN ISO 10545-07	IV
Hardness degree, method MOHS	UNE 67-101-92	4
Thermic impact resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Resistance to acids	EN ISO 10545-13	GHA
Resistance to bases	EN ISO 10545-13	GHA
Resistance to cleaning products and chemical products for swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

Technical characteristics report

Serial: Takenos	Size: 45x45
-----------------	-------------

HOME GRAPHITE

Floor tiles with red body. Dry pressed ceramic tiles for interior floors and walls.

It accomplishes norm: UNE-EN 14411

Group: Blla

Name, Test	European norm	Value
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	$3\% < E \leq 6\%$
Flexion resistance	EN ISO 10545-04	$> 26 \text{ N/mm}^2$
Resistance to the abrasion, method PEI	EN ISO 10545-07	III
Hardness degree, method MOHS	UNE 67-101-92	4
Thermic impact resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Resistance to acids	EN ISO 10545-13	GHA
Resistance to bases	EN ISO 10545-13	GHA
Resistance to cleaning products and chemical products for swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

Technical characteristics report

Serial: Takenos	Size: 45x45
-----------------	-------------

HOME SNOW

Floor tiles with red body. Dry pressed ceramic tiles for interior floors and walls.

It accomplishes norm: UNE-EN 14411

Group: Blla

Name, Test	European norm	Value
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	$3\% < E \leq 6\%$
Flexion resistance	EN ISO 10545-04	$> 26 \text{ N/mm}^2$
Resistance to the abrasion, method PEI	EN ISO 10545-07	IV
Hardness degree, method MOHS	UNE 67-101-92	5
Thermic impact resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Resistance to acids	EN ISO 10545-13	GHA
Resistance to bases	EN ISO 10545-13	GHA
Resistance to cleaning products and chemical products for swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

APE
best *for* you

Technical characteristics report

Serial: Takenos

Size: 45x45

TAKENOS SKY

Floor tiles with red body. Dry pressed ceramic tiles for interior floors and walls.

It accomplishes norm: UNE-EN 14411

Group: B11a

Name, Test	European norm	Value
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	3% < E ≤ 6 %
Flexion resistance	EN ISO 10545-04	> 20 N/mm ²
Resistance to the abrasion, method PEI	EN ISO 10545-07	IV
Hardness degree, method MOHS	UNE 67-101-92	4
Thermic impact resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Resistance to acids	EN ISO 10545-13	GHA
Resistance to bases	EN ISO 10545-13	GHA
Resistance to cleaning products and chemical products for swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

QUALITY DEPARTMENT